



KLEENGUARD* A40 Fabric – Performance Against Chemicals

Fabric Name	Chemical	CAS Number	Concentration	Penetration EN 368	Repellancy EN 368	Permeation EN 374 / ISO 6529
KLEENGUARD* A40 Fabric	Acetic Acid	64-19-7	40%	Class 3 < 1%	Class 3 > 95%	Perm Not Tested
KLEENGUARD* A40 Fabric	Acetone	67-64-1	100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Acetophenone	98-86-2	100%	Class 3 < 1%	Class 3 > 95%	Perm Not Tested
KLEENGUARD* A40 Fabric	Buraton 10F		100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Ethanol	64-17-5	95%	Class 3 < 1%	Class 2 > 90%	Perm Not Tested
KLEENGUARD* A40 Fabric	Ethylene glycol	107-21-1	100%	Class 3 < 1%	Class 2 > 90%	Perm Not Tested
KLEENGUARD* A40 Fabric	Formaldehyde	50-00-0	37%	Class 3 < 1%	Class 3 > 95%	Perm Not Tested
KLEENGUARD* A40 Fabric	Heptane	142-82-5	100%	Class 3 < 1%	Class 0	Perm Not Tested
KLEENGUARD* A40 Fabric	Hydrochloric Acid	7647-01-0	37%	Class 3 < 1%	Class 2 > 90%	Perm Not Tested
KLEENGUARD* A40 Fabric	Incidin Extra N		100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Incidin Plus		100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Incidur		100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Nitric acid	7697-37-2	40%	Class 3 < 1%	Class 3 > 95%	Perm Not Tested
KLEENGUARD* A40 Fabric	Quartacid Plus		100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Sekusept		100%	Class 3 < 1%	Class 1 > 80%	Perm Not Tested
KLEENGUARD* A40 Fabric	Sodium Hydroxide	1310-73-2	48%	Class 3 < 1%	Class 2 > 90%	Perm Not Tested
KLEENGUARD* A40 Fabric	Sulphuric Acid	7664-93-9	35%	Class 3 < 1%	Class 3 > 95%	Perm Not Tested