

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.7      Revision Date: 19.09.2018      SDS Number: 100000006724      Date of last issue: 06.09.2018  
Date of first issue: 22.09.2016

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Product code :

#### Manufacturer or supplier's details

#### Recommended use of the chemical and restrictions on use

Company : Kimberly-Clark Australia Pty. Limited  
52 Alfred Street, Milsons Point  
Sydney  
2061  
Australia

Telephone : +61 1800-647-994

Telefax : +61 2-9957-5687

E-mail address Responsible/issuing person : sdscontact@kcc.com

#### Emergency telephone number

: 131126

Recommended use : Spraying

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable aerosols : Category 1

Skin sensitisation : Category 1

Serious eye damage/eye irritation : Category 2A

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.7      Revision Date: 19.09.2018      SDS Number: 100000006724      Date of last issue: 06.09.2018  
Date of first issue: 22.09.2016

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 10 - < 30
Hexylene Glycol	107-41-5	< 10
Hydroxycitronellal	107-75-5	< 10
citronellol	106-22-9	< 10
hexyl salicylate	6259-76-3	< 10
allyl 3-cyclohexylpropionate	2705-87-5	< 10
benzyl salicylate	118-58-1	< 10
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	< 10
geranyl acetate	105-87-3	< 10

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

- General advice : Never give anything by mouth to an unconscious person.  
If you feel unwell, seek medical advice (show the label where possible).
- If inhaled : Move to fresh air in case of accidental inhalation of vapours.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash skin thoroughly with soap and water or use recognized skin cleanser.  
Wash contaminated clothing before reuse.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
If easy to do, remove contact lens, if worn.
- If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye irritation.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam  
Water spray  
Sand  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : No special precautions required.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protection : Not required under normal use.
-

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.7      Revision Date: 19.09.2018      SDS Number: 100000006724      Date of last issue: 06.09.2018  
Date of first issue: 22.09.2016

tive equipment and emergency procedures

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
Keep away from fire, sparks and heated surfaces.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.  
Do not ingest.  
For personal protection see section 8.

Hygiene measures : Do not smoke.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	AU OEL
Hexylene Glycol	107-41-5	Peak limit	25 ppm 121 mg/m <sup>3</sup>	AU OEL

Engineering measures : none

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Filter type : Particulates type

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Not required under normal use.

Skin and body protection : Not required under normal use.

Protective measures : When using do not eat, drink or smoke.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : No data available

Colour : colourless, light yellow

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

: Not applicable

: Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 4.5 - 5.5 bar

Relative vapour density : No data available

Relative density : 0.7

Density : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

---

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Viscosity, dynamic : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : None known.

Conditions to avoid : Extremes of temperature and direct sunlight.  
Heat, flames and sparks.

Incompatible materials : Incompatible with strong acids and bases.  
Oxidizing agents

Hazardous decomposition products : No decomposition if stored and applied as directed.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact  
Inhalation

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l  
Method: OECD Test Guideline 403  
GLP: no

##### Hexylene Glycol:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2000 ml/kg

##### Hydroxycitronellal:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 6,400 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

##### hexyl salicylate:

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg  
Method: No information available.  
GLP: No information available.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg  
Method: Acute toxicity estimate  
GLP: No information available.

### **allyl 3-cyclohexylpropionate:**

Acute oral toxicity : LD50 Oral (Rat, male and female): 380 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,600 mg/kg  
Method: OECD Test Guideline 402  
GLP: no

### **benzyl salicylate:**

Acute oral toxicity : LD50 Oral (Rat, male): 3,339 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.1.  
GLP: yes

LD50 Oral (Rat, female): 3,031 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.1.  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.3.  
GLP: yes

### **geranyl acetate:**

Acute oral toxicity : LD50 Oral (Rat): 6,330 mg/kg  
Method: No information available.  
GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,460 mg/kg  
Method: No information available.  
GLP: no

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Remarks: No data available

### **Components:**

**Ethanol:**

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

### **Hexylene Glycol:**

Species: Rabbit  
Result: Skin irritation

### **Hydroxycitronellal:**

Species: Rabbit  
Result: Mild skin irritation

### **citronellol:**

Species: Rabbit  
Result: Skin irritation

### **hexyl salicylate:**

Species: Rabbit  
Method: No information available.  
Result: irritating  
GLP: yes

### **allyl 3-cyclohexylpropionate:**

Species: reconstructed human epidermis (RhE)  
Method: OECD Test Guideline 439  
Result: No skin irritation  
GLP: yes

### **benzyl salicylate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

### **2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Assessment: Irritating to skin.

### **geranyl acetate:**

Species: Rabbit  
Exposure time: 24 h  
Method: Draize Test  
Result: Severe skin irritation  
GLP: no

### **Serious eye damage/eye irritation**

Causes serious eye irritation.



# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

### **Product:**

Remarks: May irritate eyes.

### **Components:**

#### **Ethanol:**

Species: Rabbit  
Result: Irritation to eyes, reversing within 21 days  
Method: OECD Test Guideline 405  
GLP: no

#### **Hexylene Glycol:**

Species: Rabbit  
Result: Mild eye irritation

#### **Hydroxycitronellal:**

Result: Mild eye irritation

#### **citronellol:**

Species: Rabbit  
Result: Eye irritation

#### **hexyl salicylate:**

Species: Rabbit  
Result: No eye irritation  
Method: Directive 67/548/EEC, Annex V, B.5.  
GLP: yes

#### **allyl 3-cyclohexylpropionate:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: yes

#### **benzyl salicylate:**

Result: Eye irritation

#### **2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Assessment: Irritating to eyes.

#### **geranyl acetate:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: yes

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Remarks: May cause sensitisation of susceptible persons by skin contact.

### **Components:**

#### **Ethanol:**

Species: Mouse

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: no

#### **Hexylene Glycol:**

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Result: Did not cause sensitisation on laboratory animals.

#### **Hydroxycitronellal:**

Species: Guinea pig

Result: The product is a skin sensitiser, sub-category 1B.

#### **citronellol:**

Assessment: The product is a skin sensitiser, sub-category 1B.

Result: The product is a skin sensitiser, sub-category 1B.

#### **hexyl salicylate:**

Species: Mouse

Method: OECD Test Guideline 429

Result: Causes sensitisation.

GLP: yes

#### **allyl 3-cyclohexylpropionate:**

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: The product is a skin sensitiser, sub-category 1B.

GLP: yes

#### **benzyl salicylate:**

Species: Mouse

Method: OECD Test Guideline 429

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Result: The product is a skin sensitiser, sub-category 1B.  
GLP: yes

### **2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Assessment: The product is a skin sensitiser, sub-category 1B.

### **geranyl acetate:**

Species: Mouse

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Product:**

Germ cell mutagenicity - : No information available.  
Assessment

### **Carcinogenicity**

Not classified based on available information.

#### **Product:**

Carcinogenicity - Assess- : No information available.  
ment

### **Reproductive toxicity**

Not classified based on available information.

#### **Product:**

Reproductive toxicity - As- : No information available.  
essment

### **STOT - single exposure**

Not classified based on available information.

#### **Product:**

Remarks: No data available

### **STOT - repeated exposure**

Not classified based on available information.

#### **Product:**

Remarks: No data available

### **Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.7      Revision Date: 19.09.2018      SDS Number: 100000006724      Date of last issue: 06.09.2018  
Date of first issue: 22.09.2016

---

### Product:

No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 275 mg/l  
Exposure time: 72 h  
Test Type: static test

##### **Hexylene Glycol:**

Toxicity to fish : LC50: 8,690 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 16,500 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50: > 429 mg/l  
Exposure time: 72 h

##### **Hydroxycitronellal:**

Toxicity to fish : LC50: 31.6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 410 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50: 123.3 mg/l  
Exposure time: 72 h

##### **citronellol:**

Toxicity to fish : LC50: 14.66 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 17.48 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Toxicity to algae : EC50: 2.4 mg/l  
Exposure time: 72 h

### hexyl salicylate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.34 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: Directive 67/548/EEC, Annex V, C.1.  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.357 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0.61 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other : NOEC: 0.14 mg/l  
aquatic invertebrates (Chronic toxicity) : Exposure time: 48 h

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

### allyl 3-cyclohexylpropionate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.13 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3.8 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: flow-through test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 3 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

### benzyl salicylate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.03 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Test Type: semi-static test  
Method: Directive 67/548/EEC, Annex V, C.1.  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.16 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.29 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### geranyl acetate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 68.12 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: DIN 38412  
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14.1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 3.72 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

### Persistence and degradability

#### Components:

#### Hydroxycitronellal:

Biodegradability : Result: Readily biodegradable.

#### citronellol:

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **Hexylene Glycol:**

Partition coefficient: n-octanol/water : log Pow: < -0.14

##### **Hydroxycitronellal:**

Partition coefficient: n-octanol/water : log Pow: 2.11

##### **citronellol:**

Partition coefficient: n-octanol/water : log Pow: 3.55 (25 °C)

##### **hexyl salicylate:**

Partition coefficient: n-octanol/water : log Pow: 5.5

##### **allyl 3-cyclohexylpropionate:**

Partition coefficient: n-octanol/water : log Pow: 4.28

##### **benzyl salicylate:**

Partition coefficient: n-octanol/water : log Pow: 4

##### **geranyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 4.48

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product.

# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1

##### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, flammable  
Class : 2.1  
Packing group : Not assigned by regulation

##### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
  
Class : 2.1  
Packing group : Not assigned by regulation  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1

---

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.



# SAFETY DATA SHEET

## KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 06.09.2018
1.7	19.09.2018	100000006724	Date of first issue: 22.09.2016

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN